

Prepared for:

TONIC

2566 Pennsylvania Ave
Sayre, PA USA 18840

Chronic

Batch ID or Lot Number: 004-E	Test: Potency	Reported: 06Oct2022	USDA License: N/A
Matrix: Unit	Test ID: T000223116	Started: 05Oct2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 04Oct2022	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.408	1.454	ND	ND	# of Servings = 1, Sample Weight=9.5g
Cannabichromenic Acid (CBCA)	0.373	1.330	ND	ND	
Cannabidiol (CBD)	1.379	3.794	288.690	30.40	
Cannabidiolic Acid (CBDA)	1.415	3.891	ND	ND	
Cannabidivarin (CBDV)	0.326	0.897	0.400	0.00	
Cannabidivarinic Acid (CBDVA)	0.590	1.623	ND	ND	
Cannabigerol (CBG)	0.231	0.825	ND	ND	
Cannabigerolic Acid (CBGA)	0.967	3.451	ND	ND	
Cannabinol (CBN)	0.302	1.077	ND	ND	
Cannabinolic Acid (CBNA)	0.660	2.354	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	1.153	4.111	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	1.047	3.734	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.927	3.308	ND	ND	
Tetrahydrocannabivarin (THCV)	0.211	0.751	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.818	2.918	ND	ND	
Total Cannabinoids			289.090	30.43	
Total Potential THC			ND	ND	
Total Potential CBD			288.690	30.39	

Final Approval



Sam Smith
06Oct2022
04:11:00 PM MDT

PREPARED BY / DATE



Karen Winternheimer
06Oct2022
04:22:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/e7711802-dbef-4c68-a877-3699f7383d1a>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
e7711802dbef4c68a8773699f7383d1a.1