

185 Main ST

Cortland, NY, 13045

Teejay@newyorkhempoil.com

607-821-1182

License #: OCM-AUCP-22-000003





Date Released: 1/26/2024 12:02:59PM

Report #: 9317

#### **TONIC Sessions Preroll 5pok**

Sample #: 3673, Weight: 100.00g, Unit Count:

Order #: X240119-0003 Category/Type: Plant, Preroll

Date Collected: 1/19/2024 5:17:17PM Date Received: 1/20/2024 8:26:13PM Regulator Sample ID: TS-PRPB-0003 Regulator Source Package ID: TS-PRPB-0003


Regulator Batch ID: TS-PRPB-0003

Size: 715Units, Unit Count:



**Total Cannabinoids** 27.00 % 270.0 mg/g

**PASS** 



PASS



Total THC Total CBD 22.87 % 0.07867 % 228.7 mg/g 0.7867 mg/g



PASS



**Total Terpenes** 1.3 %



Moisture 7.6 %



Heavy Metals **PASS** 



Mycotoxins



Foreign Matter Water Activity **PASS** 



**PASS** 

Date Completed: 01/24/2024 8:58AM

**Potency Analysis by HPLC** 

Total Cannabinoids: 27.00 % - 270.0 mg/g

Total THC: 22.87 % - 228.7 mg/g Total CBD: 0.07867 % - 0.7867 mg/g

Compound	CAS#	LOQ (%)	%	mg/g
THCa	23978-85-0	0.001000	24.16	241.6
d9-THC	1972-08-3	0.001000	1.684	16.84
CBGa	25555-57-1	0.001000	0.8786	8.786
CBG	25654-31-3	0.001000	0.1026	1.026
CBDa	1244-58-2	0.001000	0.08970	0.8970
CBDV	24274-48-4	0.001000	0.04965	0.4965
CBC	20675-51-8	0.001000	0.02670	0.2670
CBN	521-35-7	0.001000	0.01335	0.1335
d8-THC	5957-75-5	0.001000	ND	ND
d10-THC	95543-62-7	0.001000	ND	ND
THCV	31262-37-0	0.001000	ND	ND
CBD	13956-29-1	0.001000	ND	ND

**Relative Concentration** 

Test Comment: Cannabinoids analyzed by HPLC using P-NY100. The reported result is based on a sample weight using moisture content for flower samples unless moisture is listed as zero or ND. Unless otherwise stated all QC passed

d8-THC is an abbreviation for delta-8 tetrahydrocannabinol. d9-THC is an abbreviation for delta-9 tetrahydrocannabinol.

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





**Keystone State Testing of New York** 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KevstoneStateTesting.com Permit #: OCM-CPL-2022-00007

Kelly N Greela





185 Main ST

Cortland, NY, 13045

Teejay@newyorkhempoil.com

607-821-1182


License #: OCM-AUCP-22-000003

## **Certificate of Analysis**

Final



### Sample #: 3673 TONIC Sessions Preroll 5pok



This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-2022-00007 Kelly N Guela





185 Main ST

Cortland, NY, 13045

Teejay@newyorkhempoil.com

607-821-1182

License #: OCM-AUCP-22-000003

# **Certificate of Analysis**

Final



#### Sample #: 3673

#### **TONIC Sessions Preroll 5pok**

Compound	CAS#	LOQ (%)	%	Relative Concentration
3-Carene 1	13466-78-9	0.1000	ND	
Alpha-cedrene	469-61-4	0.1000	ND	
Cedrol	77-53-2	0.1000	ND	
Eucalyptol	470-82-6	0.1000	ND	
Fenchone	1195-79-5	0.1000	ND	
Gamma-terpinene	99-85-4	0.1000	ND	
Geranyl Acetate	105-87-3	0.1000	ND	
Isopulegol	89-79-2	0.1000	ND	
Menthol 1	15356-70-4	0.1000	ND	
Nerol	106-25-2	0.1000	ND	
Nerolidol		0.1000	ND	
Pulegone	89-82-7	0.1000	ND	
Sabinene	3387-41-5	0.1000	ND	
Sabinene Hydrate	546-79-2	0.1000	ND	

Foreign Matter by Microscopy		Pass		Analysis Date: 01/22/2024 11:16 an	
_	Compound	LOQ (%)	Limits (%)	Result (%)	Status
-	% Foreign Matter	0.00100	2.0	ND	Pass
ľ	Mammalian Exreta	0.00100	0.03	ND	Pass
5	Stems	0.00100	5.0	ND	Pass
Comn	nent: Physical chemistry was tested using moisture analyzer	, water activity meter using P-NY 16	0. Unless otherwise stated, all QC passe	d.	

Moisture LWG		Pass		Analysis Date: 01/22/2024 11:16 am	
	Compound	LOQ (%)	Limits (%)	Result (%)	Status
	Moisture	1.2	5 - 15	7.6	Pass
Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.					

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-2022-00007 Kelly N. Greelal





185 Main ST
Cortland, NY, 13045

Teejay@newyorkhempoil.com 607-821-1182

License #: OCM-AUCP-22-000003



Final



Sample #: 3673

#### **TONIC Sessions Preroll 5pok**

Water Activity		Pass	;	Analysis Date: 01/22/2024 11:16 am		
	Compound	LOQ (Aw)	Limits (Aw)	Result (Aw)	Status	
	Water Activity	0.05	0.65	0.32	Pass	
Co	Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.					

esticides by LCMSMS	Pass	Pass		Analysis Date: 01/26/2024 10:46	
Compound	LOQ (μg/g)	Limits (µg/g)	Result (μg/g)	Status	
Abamectin	0.0100	0.500	ND	Pass	
Acephate	0.0100	0.400	ND	Pass	
Acequinocyl	0.0100	2.00	ND	Pass	
Acetamiprid	0.0100	0.200	ND	Pass	
Aldicarb	0.0100	0.400	ND	Pass	
Azadirachtin	0.0100	1.00	ND	Pass	
Azoxystrobin	0.0100	0.200	ND	Pass	
Bifenazate	0.0100	0.200	ND	Pass	
Bifenthrin	0.0100	0.200	ND	Pass	
Boscalid	0.0100	0.400	ND	Pass	
Captan	0.0100	1.00	ND	Pass	
Carbaryl	0.0100	0.200	ND	Pass	
Carbofuran	0.0100	0.200	ND	Pass	
Chlorantraniliprole	0.0100	0.200	ND	Pass	
Chlordane-alpha	0.0100	1.00	ND	Pass	
Chlorfenapyr	0.0100	1.00	ND	Pass	
Chlormequat Chloride	0.0100	1.00	ND	Pass	
Chlorpyrifos	0.0100	0.200	ND	Pass	
Clofentezine	0.0100	0.200	ND	Pass	
Coumaphos	0.0100	1.00	ND	Pass	
Cyfluthrin	0.0100	1.00	ND	Pass	

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-2022-00007 Kelly N Gree La





185 Main ST Cortland, NY, 13045

Teejay@newyorkhempoil.com 607-821-1182

License #: OCM-AUCP-22-000003



Final



#### Sample #: 3673

#### **TONIC Sessions Preroll 5pok**

sticides by LCMSMS	Pass	<b>;</b>	Analysis Date: 01/26/2024 10:46 at	
Compound	LOQ (μg/g)	Limits (µg/g)	Result (μg/g)	Status
Cypermethrin	0.0100	1.00	ND	Pass
Daminozide	0.0100	1.00	ND	Pass
Diazinon	0.0100	0.200	ND	Pass
Dichlorvos	0.0100	1.00	ND	Pass
Dimethoate	0.0100	0.200	ND	Pass
Dimethomorph	0.0100	1.00	ND	Pass
Ethoprophos	0.0100	0.200	ND	Pass
Etofenprox	0.0100	0.400	ND	Pass
Etoxazole	0.0100	0.200	ND	Pass
Fenhexamid	0.0100	1.00	ND	Pass
Fenoxycarb	0.0100	0.200	ND	Pass
Fenpyroximate	0.0100	0.400	ND	Pass
Fipronil	0.0100	0.400	ND	Pass
Flonicamid	0.0100	1.00	ND	Pass
Fludioxonil	0.0100	0.400	ND	Pass
Hexythiazox	0.0100	1.00	ND	Pass
Imazalil	0.0100	0.200	ND	Pass
Imidacloprid	0.0100	0.400	ND	Pass
Indolebutyric Acid	0.0100	1.00	ND	Pass
Kresoxim-methyl	0.0100	0.400	ND	Pass
Malathion	0.0100	0.200	ND	Pass
Metalaxyl	0.0100	0.200	ND	Pass
Methiocarb	0.0100	0.200	ND	Pass
Methomyl	0.0100	0.400	ND	Pass
Methyl Parathion	0.0100	0.200	ND	Pass
Mevinphos	0.0100	1.00	ND	Pass

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-2022-00007 Kelly N. Gree Land





185 Main ST Cortland, NY, 13045

Teejay@newyorkhempoil.com 607-821-1182

License #: OCM-AUCP-22-000003



Final



### Sample #: 3673 TONIC Sessions Preroll 5pok

sticides by LCMSMS	Pass	;	Analysis Date: 01/26/2024 10:46 a	
Compound	LOQ (μg/g)	Limits (µg/g)	Result (μg/g)	Status
MGK-264	0.0100	0.200	ND	Pass
Myclobutanil	0.0100	0.200	ND	Pass
Naled	0.0100	0.500	ND	Pass
Oxamyl	0.0100	1.00	ND	Pass
Paclobutrazol	0.0100	0.400	ND	Pass
Pentachloronitrobenzene	0.0100	1.00	ND	Pass
Permethrins, Total	0.0100	0.200	ND	Pass
Phosmet	0.0100	0.200	ND	Pass
Piperonyl Butoxide	0.0100	2.00	ND	Pass
Prallethrin	0.0100	0.200	ND	Pass
Propiconazole	0.0100	0.400	ND	Pass
Propoxur	0.0100	0.200	ND	Pass
Pyrethrins Total	0.0100	1.00	ND	Pass
Pyridaben	0.0100	0.200	ND	Pass
Spinetoram Total	0.0100	1.00	ND	Pass
Spinosad Total	0.0100	0.200	ND	Pass
Spiromesifen	0.0100	0.200	ND	Pass
Spirotetramat	0.0100	0.200	ND	Pass
Spiroxamine	0.0100	0.200	ND	Pass
Tebuconazole	0.0100	0.400	ND	Pass
Thiacloprid	0.0100	0.200	ND	Pass
Thiamethoxam	0.0100	0.200	ND	Pass
Trifloxystrobin	0.0100	0.200	ND	Pass

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





**Keystone State Testing of New York** 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-2022-00007 Kelly N Guela





**Total Aflatoxin** 

#### New York Hemp Oil Labs LLC

185 Main ST Cortland, NY, 13045

Teejay@newyorkhempoil.com

607-821-1182

License #: OCM-AUCP-22-000003

Mycotoxin contamination tested by LCMSMS using P-NY125. Unless otherwise stated, all QC passed.

# **Certificate of Analysis**

**TONIC Sessions Preroll 5pok** 

Pass

Final



## Sample #: 3673

Mycotoxins by LCMSMS	Pass		Analysis Date: 01/26/2024 10:46 ar	
Compound	LOQ (µg/g)	Limits (μg/g)	Result (µg/g)	Status
Aflatoxin B1	0.0050	0.020	ND	Pass
Aflatoxin B2	0.0050	0.020	ND	Pass
Aflatoxin G1	0.0050	0.020	ND	Pass
Aflatoxin G2	0.0050	0.020	ND	Pass
Ochratoxin A	0.0050	0.020	ND	Pass

0.0050

0.020

Heavy Metals by ICPMS	Pass	}	Analysis Date: 01/24/2024 9:51 an	
Compound	LOQ (µg/g)	Limits (µg/g)	Result (μg/g)	Status
Antimony	0.0100	2.00	0.0230	Pass
Arsenic	0.00100	0.200	0.00415	Pass
Cadmium	0.00150	0.300	0.143	Pass
Chromium	0.280	110	1.10	Pass
Copper	0.0750	30.0	13.8	Pass
Lead	0.00250	0.500	0.0428	Pass
Mercury	0.000500	0.100	0.00394	Pass
Nickel	0.0100	5.00	0.592	Pass
Comment: Heavy Metal contamination tested by ICPMS using P-	NY140. Unless otherwise stated, all	QC passed.		

Mi	cro by Petri & qPCR	Pass	Pass		<b>Analysis Date:</b> 01/24/2024 9:47 am	
	Compound	LOQ (CFU/g)	Limits (CFU/g)	Result (CFU/g)	Status	
	Aspergillus flavus Qualitative	1	0	Not Detected	Pass	
	Aspergillus fumigatus Qualitative	1	0	Not Detected	Pass	
	Aspergillus niger Qualitative	1	0	Not Detected	Pass	
	Aspergillus terreus Qualitative	1	0	Not Detected	Pass	

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-2022-00007 Kelly N. Greela

Dr. Kelly Greenland, Lab Director

ND





185 Main ST Cortland, NY, 13045 Teejay@newyorkhempoil.com 607-821-1182

License #: OCM-AUCP-22-000003



Final



### Sample #: 3673 TONIC Sessions Preroll 5pok

Micro by Petri & qPCR		Pass		<b>Analysis Date:</b> 01/24/2024 9:47 an	
	Compound	LOQ (CFU/g)	Limits (CFU/g)	Result (CFU/g)	Status
	Salmonella Qualitative	1	0	Not Detected	Pass
	Shiga Toxin-Producing E. coli Qualitative	1	0	Not Detected	Pass
	Total Aerobic Bacteria	10		<loq< td=""><td>Pass</td></loq<>	Pass
	Total Yeast & Mold	10		<loq< td=""><td>Pass</td></loq<>	Pass
Comment: Microbial contamination tested by Petrifilm plates and qPCR using P-NY120. Unless otherwise stated, all QC passed. <b>Due to COA validation limitations</b> : "Not Detected" = "Absent" and "Detected" = "Presumptive Presence". Acceptance Limits: "0" = "Absence" and "1" = "Presence".					

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-2022-00007 Kelly N. Guela

